



EC-TYPE EXAMINATION CERTIFICATE

Equipment or Protective System Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

EC-Type Examination Certificate Number : **BAS01ATEX1021**

Equipment or Protective System: **HEAT DETECTOR TYPE DCD-1E-IS**

Manufacturer: **HOCHIKI EUROPE**

Address: **Gillingham, Kent, ME8 0SA**

This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

The Electrical Equipment Certification Service, notified body number 600 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report N°

00(C)0649 dated 8 May 2001

Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014: 1999

EN 50020: 1994

EN 50284: 1999

except in respect of those requirements listed at item 18 of the Schedule.

If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

This EC-TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment or protective system.

The marking of the equipment or protective system shall include the following:-

Ex II 1 G EEx ia IIC T5 (T_{amb} = 55°C)


This certificate may only be reproduced in its entirety and without any change, schedule included.

File No: **EECS 3642/02/002**

This certificate is granted subject to the general conditions of the Electrical Equipment Certification Service. It does not necessarily indicate that the apparatus may be used in particular industries or circumstances.



Electrical Equipment Certification Service
Health and Safety Executive
Harpur Hill, Buxton, Derbyshire, SK17 9JN, United Kingdom
Tel: +44(0)1298 28000 Fax: +44(0)1298 28244
internet: www.baseefa.com e-mail: baseefa.info.eecs@hsl.gov.uk



I M CLEARE
DIRECTOR
15 May 2001



13

Schedule

14

EC-TYPE EXAMINATION CERTIFICATE N° BAS01ATEX1021

15

Description of Equipment or Protective System

The Heat Detector Type DCD-1E-IS is designed to detect combustion products in the air within a hazardous area and to provide an alarm indication on a locally mounted LED and also to safe area apparatus via a suitable interface.

The Heat Detector Type DCD-1E-IS comprises electronic surface mounted components and a number of wire ended components including LEDs and a bead thermistor mounted on a printed circuit board. The circuit board is encapsulated and mounted within a plastic enclosure. The heat detector sub assembly is mounted on a Base Unit Type YBN-R/4IS which incorporates the field terminals. The enclosure provides a degree of protection of at least IP20 to the electrical circuit and the apparatus is capable of withstanding a 500V test to earth. The enclosure may present a static hazard but is fitted with a suitable warning label. Cable entry to the field terminals is from the base of the enclosure.

Supply Input Terminals 2 and 6 or Loop Output Terminals 1 and 5
and Remote Indicator Alarm Terminals 1 and 4

$U_i = 30V$ $I_i = 200mA$ $P_i = 1W$ $C_i = 0$ $L_i = 0$

$U_o = U_i$ $I_o = I_i$ $P_o = P_i$ $C_i = 0$ $L_i = 0$

Note :- Terminals 1 & 2 are directly interconnected when the smoke detector is fitted to the Base Unit and Terminals 6 & 5 are directly interconnected within the Base Unit. All inputs / outputs are derived from the common source.

Terminal 3 may be used for terminating cable screens.

16

Report No.

00(C)0649

17

Special Conditions for Safe Use

None

18

Essential Health and Safety Requirements

Essential Health & Safety Requirements not covered by Standards listed at (9)		
Clause	Subject	Compliance
1.1.3	Changes in characteristics of materials and combinations thereof	Report No. 00(C)0649 Clause 6.1.1.3
1.2.2	Components for incorporation or replacement	Report No. 00(C)0649 Clause 6.1.2.2
1.2.5	Additional means of protection	Report No. 00(C)0649 Clause 6.1.2.5
1.2.7	Protection against other hazards	Report No. 00(C)0649 Clause 6.1.2.7
1.4.2	Withstanding attack by aggressive substances	Report No. 00(C)0649 Clause 6.1.4.2



13

Schedule

14

EC-TYPE EXAMINATION CERTIFICATE N° BAS01ATEX1021

19

DRAWINGS

Number	Sheet	Issue	Date	Description
2-1-0-051-2	1/2	2	23/11/2000	General Assembly
2-1-0-051-2	2/2	2	23/11/2000	Circuit
2-1-2-110-2	1/1	2	22/11/2000	Component Layout
2-2-9-055-3	1/6	3	06/02/2001	pcb Drilling
2-2-9-055-3	2/6	3	06/02/2001	pcb Track Solder Side A
2-2-9-055-3	3/6	3	06/02/2001	pcb Solder Resist Side A
2-2-9-055-3	4/6	3	06/02/2001	pcb Track Component Side B
2-2-9-055-3	5/6	3	06/02/2001	pcb Solder Resist Side B
2-2-9-055-3	6/6	3	06/02/2001	Silk Screen
2-1-2-110	1	2	23/11/2000	Component List
2-1-2-110	2	2	23/11/2000	Component List
1217170-00-3	1/3	3	1/5/2001	Enclosure Marking
1217170-00-3	2/3	3	1/5/2001	Packing
1217170-00-3	3/3	3	1/5/2001	Cross Section Encapsulation
2-3-0-421-3	1/1	3	1/5/2001	Printing Details
2-3-0-422-3	1/1	3	1/5/2001	Name Label
2-1-0-051	1	1	21/08/2000	General Assembly Parts list
1217170-00	1	2	20/04/2001	Packing Parts List
*1226060-00	1	1	20/07/98	BASE UNIT YBN-R/4IS PARTS LIST
*1226060-00-1	1	1	21/07/98	BASE UNIT YBN-R/4IS GA
*2-3-0-315-1	1	1	21/07/98	BASE UNIT YBN-R/4IS LABEL
*2-3-2-097-2	1	2	21/9/98	Encapsulation

*These drawings are held with BASEEFA Certificate No Ex 98D2098

This certificate may only be reproduced in its entirety and without any change, schedule included.

BASEEFA List Keywords
2SMOKDET